## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: LEDVANCE

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany

## Model identifier: AC34640

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS			
Light source cap-type	constant					
(or other electric interface)	current: 200 mA					
Mains or non-mains:	NMLS	Connected light source (CLS):	Yes			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	Yes			
Product parameters						

		Product para	meters				
Parameter		Value	Parameter	Value			
General product parameters:							
• ·	mption in on- 100 h), rounded st integer	8	Energy efficiency class	F			
indicating if it rain a sphere (30	us flux (φuse), efers to the flux 60º), in a wide n a narrow cone	830 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000			
On-mode p expressed in W	oower (P <sub>on</sub> ),	8,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00			
for CLS, expres	ndby power (P <sub>net</sub> ) ssed in W and second decimal	0,00	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	80			
Outer	Height	373	Spectral power	See image			
dimensions	Width	11	distribution in the	in last page			
without	Depth	1	-				
	1 -	1	1	Page 1			

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,434
Parameters for LED and OLED lig	ht sources:	· · ·	
R9 colour rendering index value	0	Survival factor	0,90
the lumen maintenance factor	0,96		
(a),		I	

(a)<sub>'-'</sub> : not applicable;

(b)'-' : not applicable;

