Poldina _Table



Poldina is a rechargeable battery-powered cordless table lamp. A "touch" control on the head allows switching on/off, dimming, and selecting the color temperature of the light (2200 K, 2700 K or 3000 K). It is suitable for both indoor and outdoor use (except gold, silver, and copper finishes). An electronic control system monitors the remaining autonomy and ensures a constant luminous flux until the battery runs out. Recharging is therefore optimized and always properly done. Poldina comes with a contact charging base; the battery charger is included. The lamp can be customized with a ceramic cover, to be purchased separately

Poldina _Table





LD0340

	White	В3		Corten	R3
	Dark gray	N3		Sand	S3
	Sage green	G3		Avio blue	А3
	Pink	P3		Red	F3
	Bordeaux	Х3		Dark green	М3
A	Glossy gold Not suitable for outdoor use	03	ı	Glossy chrome Not suitable for outdoor use	C3
	Gold color leaf Not suitable for outdoor use	BFO		Silver color leaf Not suitable for outdoor use	BFA
	Copper color lea Not suitable for outdoor use	afRFR	×	Avio blue - Gold color leaf craquelé Not suitable for outdoor use	AFO
	Black - Gold color leaf Not suitable for outdoor use	DFO		Red - Gold color leaf craquelé Not suitable for outdoor use	FFO
	Black	D3			





DESIGN IN ITALY BY ZAFFERANO SRL, MADE IN PRC

Zafferano SRL - Viale dell'Industria, 26 31055 Quinto di Treviso - Italy www.zafferanoitalia.com

Poldina _Table

Lighting specifications

type SMD
total power 2,2 W
power LED 2,0 W

 color temperature
 2200 - 2700 - 3000 K

 lumen lamp
 185 - 199 - 203 lm

 lumen LED
 234 - 251 - 256 lm

beam angle 45°
CRI > 80
class F

dimmer TOUCH DIMMER

motion sensor NO

Electrical specifications

supply voltage 5Vdc max.1A frequency 50/60 Hz input 100-240V output 5 Vdc max 1A

battery 2 cell li-ion battery pack mod. 18650

3,7v - 2200 ma/h

battery life 12 H. charging time 6/7 H.

ACCESSORIES

LD0340RA

6 cm •13.5 cm •4.5 cm •2,2 W •IP20 • 100-240V• 50/60 Hz





Black

LD0350RP



33 cm •51 cm •5.8 cm •2,2 W •IP20 • 100-240V• 50/60 Hz








LD0350







LD0350RB



9.4 cm •9.4 cm •IP20 • 100-240V • 50/60 Hz





Black